## What is claimed is:

- 1 1. A method of selectively accepting content for caching, comprising steps of:
- 2 receiving, at a cache store, a request message inquiring whether the cache store will accept
- 3 particular content for caching;
- deciding, responsive to receiving the request message, whether the cache store will accept
- 5 or reject the particular content; and
- sending, from the cache store, a response to the request message, wherein the response
- 7 indicates the cache store's decision.
- 1 2. The method according to Claim 1, further comprising the step of:
- 2 subsequently receiving, at the cache store, the particular content only if the response
- indicated that the cache store's decision was to accept the particular content.
- 1 3. The method according to Claim 1, wherein the request message describes the particular
- 2 content.
- 1 4. The method according to Claim 3, wherein the deciding step uses the description.
- 1 5. The method according to Claim 1, wherein the request message specifies the particular
- 2 content's size, and wherein the deciding step further comprises deciding whether content of that
- 3 size may be advantageously cached by the cache store.

- 1 6. The method according to Claim 1, wherein the request message specifies the particular
- 2 content's type, and wherein the deciding step further comprises deciding whether content of that
- 3 type may be advantageously cached by the cache store.
- The method according to Claim 1, wherein the request message specifies the particular
- 2 content's security classification, and wherein the deciding step further comprises deciding whether
- 3 content of that security classification may be advantageously cached by the cache store.
- 1 8. The method according to Claim 1, wherein the request message specifies the particular
- 2 content's hit rate, and wherein the deciding step further comprises deciding whether content
- 3 having that hit rate may be advantageously cached by the cache store.
- 1 9. The method according to Claim 1, wherein the request message specifies the particular
- 2 content's hit rate, and wherein the deciding step further comprises deciding whether that hit rate is
- 3 higher than hit rates associated with other content already cached by the cache store and if so,
- 4 deciding to accept the particular content.
- 1 10. The method according to Claim 1, wherein the deciding step considers historical metrics
- 2 associated with the particular content.
- 1 11. The method according to Claim 1, wherein the deciding step considers resources of the
- 2 cache store.

- 1 12. The method according to Claim 1, wherein the deciding step considers currently-available
- 2 resources of the cache store.
- 1 13. The method according to Claim 1, wherein the request message and the response are
- 2 encoded in a structured markup language.
- 1 14. The method according to Claim 13, wherein the structured markup language is Extensible
- 2 Markup Language ("XML").
- 1 15. The method according to Claim 1, wherein the request message includes an identifier of
- 2 the particular content and wherein the identifier is also included in the response.
- 1 16. The method according to Claim 1, wherein the deciding step compares a priority
- 2 associated with the particular content to priorities associated with already-cached content.
- 1 17. The method according to Claim 2, further comprising the step of storing the subsequently-
- 2 received particular content at the cache store.
- 1 18. The method according to Claim 2, further comprising the steps of:
- 2 remembering, when the deciding step decides to accept the particular content, which
- 3 already-cached content will be replaced with the particular content; and

- 4 storing the subsequently-received particular content at the cache store.
- 1 10. A system for selectively accepting content for caching, comprising:
- 2 means for receiving, at a cache store, a request message inquiring whether the cache store
- 3 will accept particular content for caching;
- 4 means for deciding, responsive to receiving the request message, whether the cache store
- 5 will accept or reject the particular content; and
- 6 means for sending, from the cache store, a response to the request message, wherein the
- 7 response indicates the cache store's decision.
- 1 11. The system according to Claim 10, further comprising:
- 2 means for subsequently receiving, at the cache store, the particular content only if the
- response indicated that the cache store's decision was to accept the particular content.
- 1 12. The system according to Claim 10, wherein the request message specifies the particular
- 2 content's size, and wherein the means for deciding further comprises means for deciding whether
- 3 content of that size may be advantageously cached by the cache store.
- 1 13. The system according to Claim 10, wherein the request message specifies the particular
- 2 content's type, and wherein the means for deciding further comprises means for deciding whether
- 3 content of that type may be advantageously cached by the cache store.

- 1 14. The system according to Claim 10, wherein the request message specifies the particular 2 content's security classification, and wherein the means for deciding further comprises means for 3 deciding whether content of that security classification may be advantageously cached by the
- 1 15. A computer program product for selectively accepting content for caching, the computer program product embodied on one or more computer-readable media and comprising:
  - computer-readable program code means for receiving, at a cache store, a request message inquiring whether the cache store will accept particular content for caching;
    - computer-readable program code means for deciding, responsive to receiving the request message, whether the cache store will accept or reject the particular content; and
- s computer-readable program code means for ending, from the cache store, a response to the request message, wherein the response indicates the cache store's decision.
- 1 16. The computer program product according to Claim 1, further comprising:
- computer-readable program code means for subsequently receiving, at the cache store, the
  particular content only if the response indicated that the cache store's decision was to accept the
  particular content.
- 1 17. The computer program product according to Claim 1, wherein the request message
- 2 specifies the particular content's hit rate, and wherein the computer-readable program code means
- 3 for deciding further comprises computer-readable program code means for deciding whether

4

3

4

5

6

cache store.

- 4 content having that hit rate may be advantageously cached by the cache store.
- 1 18. The computer program product according to Claim 1, wherein the request message
- 2 specifies the particular content's hit rate, and wherein the computer-readable program code means
- 3 for deciding further comprises computer-readable program code means for deciding whether that
- 4 hit rate is higher than hit rates associated with other content already cached by the cache store and
- 5 if so, deciding to accept the particular content.